

# Wellman

WE SET THE STANDARDS



PROVIDING QUALITY SPECIALTY TOOLS for over 80 YEARS



# NEW PRODUCTS

**HT-55FL Flex Magnetic Pick-Up Tool**  
For more details see page 9



**CL-6SMD Clamp Work Light**  
For more details see page 12



**RT-3SMD Rotating Magnetic Work Light**  
For more details see page 14



**RT-3SMDR Rechargeable Rotating Magnetic Work Light**  
For more details see page 14



**RT-6SMDR Dual Setting Rechargeable Rotating Magnetic Work Light**  
For more details see page 14



**RT-750LT Dual Setting Rechargeable Rotating Magnetic Work Light**  
For more details see page 14



**CHP6-LP 6 Piece Individual Hook and Pick Set**  
For more details see page 17

For all-angle viewing

Original All-Angle Ball Joint, mirrors with brushed finish stainless steel mirror backs.

Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing to 360°. Ullman's precision engineered links are manufactured from tempered spring steel to withstand the stresses of constant repositioning, moves freely and holds desired position.

## K-2 SERIES

### K-2 Rectangular Telescoping Mirror

2-1/8" x 3-1/2" mirror.  
Overall length 11-1/4", extends to 15-1/4".  
Std. Pkg. 12 | Pkg. Wt. 4 lbs. 3 oz.

### K-2L Rectangular Telescoping Mirror, Extra Long Handle

2-1/8" x 3-1/2" mirror.  
Overall length 17-1/4", extends to 27-1/2".  
Std. Pkg. 1 | Pkg. Wt. 7 oz.

### K-2M Rectangular Magnifying Telescoping Mirror

2-1/8" x 3-1/2" mirror.  
Overall length 11-1/4", extends to 15-1/4".  
Std. Pkg. 1 | Pkg. Wt. 5 oz.

### K-2ML Rectangular Magnifying Telescoping Mirror

2-1/8" x 3-1/2" mirror.  
Overall length 17-1/4", extends to 27-1/2".  
Std. Pkg. 1 | Pkg. Wt. 7 oz.



## C-2 SERIES

### C-2 Circular Telescoping Mirror

2-1/4" mirror dia.  
Overall length 10-1/8", extends to 14-1/8".  
Std. Pkg. 12  
Pkg. Wt. 3 lbs. 10 oz.

### C-2L Circular Telescoping Mirror, Extra Long Handle

2-1/4" mirror dia.  
Overall length 16", extends to 26".  
Std. Pkg. 1  
Pkg. Wt. 6 oz.

### C-2M Circular Magnifying Telescoping Mirror

2-1/4" mirror dia.  
Overall length 10", extends to 14".  
Std. Pkg. 1  
Pkg. Wt. 5 oz.

### C-2ML Circular Magnifying Telescoping Mirror

2-1/4" mirror dia.  
Overall length 16", extends to 26".  
Std. Pkg. 1 | Pkg. Wt. 6 oz.



## S-2 SERIES

### S-2 Circular Telescoping Mirror

3-1/4" mirror dia.  
Overall length 11-1/4", extends to 15-1/4".  
Std. Pkg. 12  
Pkg. Wt. 4 lbs.

### S-2L Circular Telescoping Mirror, Extra Long Handle

3-1/4" mirror dia.  
Overall length 17", extends to 27".  
Std. Pkg. 1  
Pkg. Wt. 7 oz.



## FEATURES

- Replaceable clear glass mirrors for perfect reflection.
- Telescoping and pocket models.
- Non-rotating inner hex rods on telescopic models prevent mirrors from swinging out of alignment when in use.
- Insulating vinyl grip on all models.

## A-2 SERIES

### A-2 Circular Inspection Mirror

7/8" mirror dia.  
Overall length 7-1/2".  
Std. Pkg. 12  
Pkg. Wt. 1 lb. 4 oz.

### A-2M Circular Magnifying Inspection Mirror

7/8" mirror dia.  
Overall length 7-1/2".  
Std. Pkg. 1  
Pkg. Wt. 2 oz.



## E-2 SERIES

### E-2 Circular Inspection Mirror

1-1/4" mirror dia.  
Overall length 8".  
Std. Pkg. 12  
Pkg. Wt. 1 lb. 6 oz.

### E-2M Circular Magnifying Inspection Mirror

1-1/4" mirror dia.  
Overall length 8".  
Std. Pkg. 1  
Pkg. Wt. 2 oz.



## B-2 SERIES

### B-2 Oval Inspection Mirror

1" x 2" oval mirror.  
Overall length 8-1/2".  
Std. Pkg. 12  
Pkg. Wt. 1 lb. 7oz.



## Refill Mirrors and Head Assemblies

### Refill Mirrors Only

Model No.	Mirror Size	Pkg. Wt.
B-2R	1" x 2" oval	2 oz.
K-2R	2-1/8" x 3-1/2"	10 oz.

Note: Refill Mirrors, Std. Pkg. 12

### Refill Head Assemblies

Model No.	Mirror Size	Pkg. Wt.
A-2HD	7/8" dia.	1 oz.
B-2HD	1" x 2" oval	1 oz.
C-2HD	2-1/4" dia.	1 oz.
E-2HD	1-1/4" dia.	1 oz.
K-2HD	2-1/8" x 3-1/2"	1 oz.
S-2HD	3-1/4" dia.	2 oz.

### Refill Magnifying Mirrors Only

Model No.	Mirror Size	Pkg. Wt.
K-2MR	2-1/8" x 3-1/2"	1 oz.

### Refill Magnifying Mirrors Head Assemblies

Model No.	Mirror Size	Pkg. Wt.
A-2MHD	7/8" dia.	1 oz.
C-2MHD	2-1/4" dia.	2 oz.
E-2MHD	1-1/4" dia.	1 oz.
K-2MHD	2-1/8" x 3-1/2"	2 oz.

For all-angle viewing

Original All-Angle Ball Joint, mirrors with brushed finish stainless steel mirror backs and telescoping stainless steel handles. Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Stainless steel telescoping handle is long, strong and lightweight. Double ball joint links swivel 360°. Textured cushion grip will not slip in wet or oily hands.

## HTE-2

### Circular Telescoping Inspection Mirror

1-1/4" mirror dia.

Telescopes from 8-1/4" to 35".

Stainless steel telescoping handle is long, strong and lightweight.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 2 oz.



## HTC-2

### Circular Telescoping Inspection Mirror

2-1/4" mirror dia.

Telescopes from 9-3/4" to 36-3/8".

Stainless steel telescoping handle is long, strong and lightweight.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 14 oz.



## HTS-2

### Circular Telescoping Inspection Mirror

3-1/4" mirror dia.

Telescopes from 10-1/2" to 29-1/2".

Stainless steel telescoping handle is long, strong and lightweight.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 6 oz.



## HTK-2

### Rectangular Inspection Mirror

2-9/16" x 3-3/4" mirror head.

Telescopes from 11" to 29-3/4".

Quick release tab to replace broken mirrors.

Square five stage stainless steel antenna prevents head from swinging out of alignment.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 4 lbs. 8 oz.



## HTC-2LM

### Circular Extra Long Magnifying Inspection Mirror


2-1/4" dia. magnifying mirror head enlarges viewing surface.

Telescopes from 15 inches to 4 feet 3-1/2 inches.

Stainless steel handle is long, strong and lightweight.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 5 lbs.



## HTS-2L

### Circular Extra Long Inspection Mirror


3-1/4" mirror dia.

Telescopes from 16 inches to 4 feet 4-1/2 inches.

Stainless steel handle is long, strong and lightweight.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 5 lbs. 8 oz.



For all-angle viewing

Original All-Angle Ball Joint, mirrors with brushed finish stainless steel mirror backs. Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel 360°. Telescopic handles are long, strong and lightweight.

## HTA2-T

### Pocket Telescopic Inspection Mirror With Cushion Grips

7/8" mirror dia.

Telescopes from 5-5/16" to 27-1/4".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 6 oz.



## HTE2-T

### Pocket Telescopic Inspection Mirror With Cushion Grips

1-1/4" mirror dia.

Telescopes from 7-3/8" to 27-1/2".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 7 oz.



## HTB2-T

### Pocket Telescopic Inspection Mirror With Cushion Grips

1" x 2" oval mirror.

Telescopes from 8-1/4" to 28-1/4".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 8 oz.



## A-2T

### Pocket Telescopic Inspection Mirror

7/8" mirror dia.

Telescopes from 6" to 18-5/8".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Std. Pkg. 12  
Pkg. Wt. 1 lb.



## E-2T

### Pocket Telescopic Inspection Mirror

1-1/4" mirror dia.

Telescopes from 6-3/8" to 19".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Std. Pkg. 12  
Pkg. Wt. 1 lb.



## B-2T

### Pocket Telescopic Inspection Mirror

1" x 2" oval mirror.

Telescopes from 7-1/4" to 19-3/4".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.



## A-2TM

### Pocket Telescopic Inspection Mirror And Magnetic Pick-Up Tool

7/8" mirror dia.

Telescopes from 7-1/4" to 27-1/4".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Strong Neodymium-Iron-Boron Magnet. Lifts 1-1/2 lbs.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 6 oz.



## E-2TM

### Pocket Telescopic Inspection Mirror And Magnetic Pick-Up Tool

1-1/4" mirror dia.

Telescopes from 7-1/2" to 27-1/2".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Strong Neodymium-Iron-Boron Magnet. Lifts 1-1/2 lbs.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 7oz.



## B-2TM

### Pocket Telescopic Inspection Mirror And Magnetic Pick-Up Tool

1" x 2" oval mirror.

Telescopes from 8-1/4" to 28-3/4".

Handy pocket clip.

All-angle ball joint holds mirror head firmly at any angle for perfect viewing.

Strong Neodymium-Iron-Boron Magnet. Lifts 1-1/2 lbs.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 8 oz.



For all-angle viewing

Original All-Angle Ball Joint holds lighted mirror head firmly at any angle for 360° viewing. Stainless steel telescopic handles are long, strong and lightweight. LED light at top of mirror head for fast, accurate inspection of dark hidden areas. Heavy-duty grip will not slip in wet or oily hands.

## HTE-2LT

### LED Lighted Telescoping Inspection Mirror

1-3/8" mirror dia.  
Telescopes from 8-3/4" to 36".

LED light illuminates darkened areas for perfect inspection.

All-angle ball joint holds lighted mirror head firmly at any angle for perfect viewing.

Stainless steel telescoping handle is long, strong and lightweight for fast accurate inspection.

Comes with two CR1220 batteries.

Heavy-duty handle will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 15 oz.

Patent numbers: 7,954,972, 7,980,722



## HTC-2LT

### LED Lighted Telescoping Inspection Mirror

2-3/8" mirror dia.  
Telescopes from 10" to 37-1/8".

LED light illuminates darkened areas for perfect inspection.

All-angle ball joint holds lighted mirror head firmly at any angle for perfect viewing.

Stainless steel telescoping handle is long, strong and lightweight for fast accurate inspection.

Comes with two CR2016 batteries.

Heavy-duty handle will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 4 lbs. 2 oz.

Patent numbers: 7,954,972, 7,980,722



## HTS-2LT

### LED Lighted Telescoping Inspection Mirror

3-3/8" mirror dia.  
Telescopes from 6-1/2" to 30-1/4".

Three LED lights illuminates darkened areas for perfect inspection.

All-angle ball joint holds lighted mirror head firmly at any angle for perfect viewing.


Stainless steel telescoping handle is long, strong and lightweight for fast accurate inspection.

Comes with two CR2016 batteries.

Heavy-duty handle will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 5 lbs. 2 oz.

Patent numbers: 7,954,972, 7,980,722



## HTK-2LT

### LED Lighted Rectangular Telescoping Inspection Mirror

2-1/4" x 3-1/2" mirror.

Telescopes from 11" to 30-1/4".

Lighted head with three LED lights that can be adjusted to needed angle for inspection in tight dark areas.

All-angle ball joint holds lighted mirror head firmly at any angle for perfect viewing.


Stainless steel telescoping handle is long, strong and lightweight for fast accurate inspection.

Comes with two CR2032 batteries.

Heavy-duty handle will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 4 lbs. 8 oz.

Patent numbers: 7,954,972, 8,690,376



# WELDING INSPECTION MIRRORS

## Heavy-Duty Extra Powerful Magnetic Base

Perfect for welding in awkward places. Mounts and adjusts in seconds to bring hidden areas into full view.

## C-2X

### Magnetic Base Inspection Mirror

2-1/4" mirror dia.

Magnetic base mounts and adjusts in seconds to bring hidden areas into full view.

All-angle ball joint holds mirror firmly at any angle for fast accurate inspection.

Std. Pkg. 1  
Pkg. Wt. 3 oz.



## MX

### Magnetic Base Rectangular Inspection Mirror

2-1/8" x 3-1/2" mirror.

Magnetic base mounts and adjusts in seconds to bring hidden areas into full view.

All-angle ball joint holds mirror firmly at any angle for fast accurate inspection.

Std. Pkg. 1  
Pkg. Wt. 1 lb.

## S-2X

### Magnetic Base Inspection Mirror

3-1/4" mirror dia.

Magnetic base mounts and adjusts in seconds to bring hidden areas into full view.

All-angle ball joint holds mirror firmly at any angle for fast accurate inspection.

Std. Pkg. 1  
Pkg. Wt. 3 oz.



**POWERCAP®** slides over magnet and increases its power and shields sides from attaching to unwanted ferrous surfaces.

## Neodymium-Iron-Boron Magnets

### HT-1

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 6-5/8" to 33-1/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Stainless steel telescoping handle is long, strong and lightweight.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 1 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-2

**With POWERCAP® Lifts 5 lbs.**

Telescopes from 7-1/4" to 33-3/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Stainless steel telescoping handle is long, strong and lightweight.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 1 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-3

**With POWERCAP® Lifts 10 lbs.**

Telescopes from 8-1/4" to 30-1/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Stainless steel telescoping handle is long, strong and lightweight.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 7 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-5

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 5-1/2" to 25-1/2".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-5R

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 5-1/2" to 25-1/2".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-5BL

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 5-1/2" to 25-1/2".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-5GR

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 5-1/2" to 25-1/2".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-5OR

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 5-1/2" to 25-1/2".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-6

**With POWERCAP® Lifts 2-1/2 lbs.**

Telescopes from 5-3/4" to 26-3/4".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Rotating head retrieves metal objects in awkward hard to reach areas.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.

Patent numbers: 5,999,074, 5,945,901



**POWERCAP®** slides over magnet and increases its power and shields sides from attaching to unwanted ferrous surfaces.

## Neodymium-Iron-Boron Magnets

### HTLP-1

**LED Lighted Magnetic Pick-Up Tool With POWERCAP® Lifts 8 lbs.**

Telescopes from 6-3/4" to 27-3/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Stainless steel telescoping handle is long, strong, and lightweight.

Rotating head retrieves metal objects in awkward, hard to reach areas.

Heavy-duty handle will not slip in wet or oily hands.

Comes with three AG3 batteries  
Std. Pkg. 12

Pkg. Wt. 3 lbs.



### HTLP-2

**LED Lighted Magnetic Pick-Up Tool With POWERCAP® Lifts 8 lbs.**

Telescopes from 8" to 32-3/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Stainless steel telescoping handle is long, strong, and lightweight.

Heavy-duty handle will not slip in wet or oily hands.

Comes with three AG13 batteries

Std. Pkg. 12

Pkg. Wt. 3 lbs. 2 oz.



### LT-2

**LED Lighted Magnetic Pick-up Tool Lifts 5 lbs.**

Telescopes from 8" to 32-3/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Stainless steel telescoping handle is long, strong, and lightweight.

Comfortable textured grip will not slip in wet or oily hands.

Comes with three AG3 batteries

Std. Pkg. 12

Pkg. Wt. 3 lbs.



### GM-2

**MegaMag® Magnetic Pick-Up Tool Lifts 16 lbs.**

Telescopes from 8-1/4" to 30-1/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Goblet-shaped head shields sides of magnet from attaching to unwanted metal surfaces.

Stainless steel telescoping handle is long, strong and lightweight for fast accurate inspection.

Comfortable textured cushion pistol grip will not slip in wet or oily hands.

Std. Pkg. 12

Pkg. Wt. 2 lbs. 15 oz.

Patent numbers: 6,392,517



### GM-2L

**Extra Long MegaMag® Magnetic Pick-Up Tool Lifts 16 lbs.**

Telescopes from 12-3/4" to 4 feet.

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Goblet-shaped head shields sides of magnet from attaching to unwanted metal surfaces.

Extra-long stainless steel telescoping handle is long, strong and lightweight.

Comfortable textured cushion pistol grip will not slip in wet or oily hands.

Std. Pkg. 12

Pkg. Wt. 3 lbs. 14 oz.

Patent numbers: 6,392,517



### GMC-2

**MegaMag® Pick-Up Tool / Inspection Mirror Lifts 16 lbs.**

GM-2 MegaMag® Lifts 16 lbs.

2-1/4" inspection mirror with metal base mounts to magnet in seconds.

Telescopes from 10" to 34-1/4".

Stainless steel telescoping handle is long, strong and lightweight for fast accurate inspection.

Packaged in sturdy vinyl pouch.

Std. Pkg. 12

Pkg. Wt. 4 lbs. 8 oz.

Patent numbers: 6,760,941, 6,392,517







# HIGH TECH MAGNETIC PICK-UP TOOLS

## Neodymium-Iron-Boron Magnets

### HT-2FL

**Flex Magnetic Pick-Up Tool With POWERCAP® Lifts 5 lbs.**

Overall length 29".

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Long aluminum shaft can be bent at any angle to retrieve dropped metal objects in hard to reach areas.

Comfortable textured cushion pistol grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 3 oz.

Patent numbers: 5,999,074, 5,945,901



### HT-55FL

**Flex Magnetic Pick-Up Lifts 5 lbs.**

Overall length 55".

Long aluminum shaft can be bent at any angle to retrieve metal objects in hard to reach areas.

Comfortable textured grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 5oz.



# POCKET TELESCOPIC MAGNETIC PICK-UP TOOLS

### No.15X

**Pocket Magnetic Pick-Up Tool**

Lifts 1-1/2 lbs.

Telescopes from 5-7/8" to 25-9/16".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb.



### No.15XOR

**Orange Pocket Magnetic Pick-Up Tool**

Lifts 1-1/2 lbs.

Telescopes from 5-7/8" to 25-9/16".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb.



### No.15XGR

**Green Pocket Magnetic Pick-Up Tool**

Lifts 1-1/2 lbs.

Telescopes from 5-7/8" to 25-9/16".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb.



### 15XDISP

**Pocket Telescopic Magnetic Pick-Up Tool 30-Piece Display**

Telescopes from 5-7/8" to 25-9/16".

Counter Top Display Contains (30) Magnetic Pick-Up Tools:  
(10) Chrome-Plated, (10) Neon Green, (10) Bright Orange. Two Velcro Strips on back of display mounts to wall.

Lifts 2 lbs.

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Std. Pkg. 1  
Pkg. Wt. 1 lb. 12 oz.



### HT5-30PK

**Pocket Telescopic Magnetic Pick-Up Tool 30-Piece Display With POWERCAP® lifts 2-1/2 lbs.**

Telescopes from 5-1/2" to 25-1/2".

Counter Top Display Contains (30) HT-5 Pick-Up Tools with Powercap®: (10) Neon Blue, (10) Neon Green, (10) Neon Orange.

Powercap® slides over magnet and increases its power and shields its sides from attaching to unwanted metal surfaces. Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Comfortable textured cushion grips will not slip in wet or oily hands.

Std. Pkg. 1  
Pkg. Wt. 2 lbs. 9 oz.



Patent numbers: 5,999,074, 5,945,901

## Neodymium-Iron-Boron Magnets

### Heavy-Duty No. 21X

Telescopic Magnetic Pick-Up Tool with Rotating Aluminum Head  
**Lifts 5 lbs.**


Telescopes from 16-1/2" to 26-1/2".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

All-angle ball joint holds aluminum head firmly at any angle.

Insulating vinyl grip.

Std. Pkg. 12  
Pkg. Wt. 5 lbs. 7 oz.



### Super-Strength No. 14X


Flex Magnet Pick-Up Tool  
**Lifts 1-1/2 lbs.**

Overall length 21-9/16".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Bendable aluminum shaft remains in position.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 12 oz.



### Super-Strength No. 19X

Pocket Telescopic Magnetic Pick-Up Tool  
**Lifts 3 lbs.**

Telescopes from 5-5/8" to 25-5/8".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.



### Super-Strength No. 8X

Pocket Magnetic Pick-Up Tool  
**Lifts 1-1/2 lbs.**

Overall length 6".

Neodymium-Iron-Boron extra high flux magnet for greater pick-up power.

Pencil shaped aluminum handle.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb.



### Super-Strength No. 3

Pocket Magnetic Pick-Up Tool with Rotating Head  
**Lifts 1-1/2 lbs.**


Overall length 7-3/4".

Neodymium-Iron-Boron extra high flux magnet for maximum strength.

Rotating head retrieves metal objects in awkward hard to reach areas.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 3 oz.



### Super-Strength No. 4T

Pocket Magnetic Pick-Up Tool with Rotating Head  
**Lifts 1-1/2 lbs.**

Telescopes from 6-3/8" to 19".

Neodymium-Iron-Boron high flux magnet for maximum strength.

Rotating head retrieves metal objects in awkward hard to reach areas.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg Wt. 1 lb.



The original All-Angle magnetic retrieving tool with molded nylon heads. This is the original magnetic pick-up tool that is perfect for retrieving nuts, bolts and even metal hand tools dropped while working on engines, boats or any place where pipes, panels or parts get in the way. Perfect for use under water, oil, etc.

## ALNICO V Magnets



### No. 1

**Telescopic Magnetic Pick-Up Tool**  
Lifts 3 lbs.

Telescopes from 16-3/4" to 26-3/4".

Nylon magnetic head rotates to get into hard to reach areas.

Std. Pkg. 12  
Pkg. Wt. 5 lbs. 8 oz.

### No. 2

**Telescopic Magnetic Pick-Up Tool**  
Lifts 3 lbs.

Telescopes from 10-5/8" to 14-5/8".

Nylon magnetic head rotates to get into hard to reach areas.

Std. Pkg. 12  
Pkg. Wt. 4 lbs. 2 oz.



### No. 6F

**17-1/2" Spring-Flex Magnetic Pick-Up Tool**  
Lifts 3 lbs.

Overall length 17-1/2".

Tightly wound flexible shaft of spring tempered steel links to probe easily into most remote areas for ferrous metal objects.

Std. Pkg. 12  
Pkg. Wt. 3 lbs.

**No. 6FL**  
**25" Spring-Flex Magnetic Pick-Up Tool**  
Lifts 3 lbs.

Same as No. 6F but overall length 25".

Std. Pkg. 12  
Pkg. Wt. 4 lbs.

### No. 9

**Pocket Magnetic Pick-Up Tool**

Overall length 6".

Insulated pencil shaped pocket magnet.

Made of insulating polypropylene which is unaffected by oil or gasoline and is virtually unbreakable.

Powerful lifelong magnet.

Lifts 8 oz.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 10 oz.



### No. 10T

**Pocket Telescopic Magnetic Pick-Up Tool**

Telescopes from 5-3/4" to 18-1/4".

Powerful lifelong magnet.

Lifts 8 oz.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 2 oz.



## MAGNETIZER / DEMAGNETIZER

### No. 5

**Magnetizer/Demagnetizer**

Overall size  
1-1/16" x 1-1/16".

Magnetizes and demagnetizes screwdrivers and other small tools.

To magnetize put end of tool into magnetizer hole.

To demagnetize pull tool through grooved sides of magnetizer.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 1 oz.



## No. 16

### Flexible Spring Claw

Overall length 23-1/2".

Bright plated steel spring reaches into inaccessible, awkward places.

Press plunger and jaws open / release plunger and jaws clamp shut.


Std. Pkg. 12  
Pkg. Wt. 2 lbs. 12 oz.

## No. 17

### Flexible Spring Claw

Same as No. 16 but overall length 13-1/2".

Std. Pkg. 12  
Pkg. Wt. 2 lbs.



## No. 16LT

### LED Lighted Flexible Spring Claw

Overall length 25-3/8".


Convenient side switch turns bright LED light On / Off as needed.

Tightly wound spring snakes into tight dark areas to retrieve dropped objects weighing up to 2 lbs.

Press plunger and jaws open / release plunger and jaws clamp shut.

Two CR2032 lithium batteries included.

Std. Pkg. 1  
Pkg. Wt. 5 oz.



## No. 16MLT

### LED Lighted Flexible Magnetic Spring Claw

Powerful magnet lifts up to 5 lbs.

Overall length 25-3/8".

Convenient side switch turns bright LED light On / Off as needed.

Tightly wound spring snakes into tight areas to retrieve ferrous or non-ferrous objects.

Press plunger and jaws open / release plunger and jaws clamp shut.

Two CR2032 lithium batteries included.

Std. Pkg. 1  
Pkg. Wt. 6 oz.



## CLAMP WORK LIGHT

### CL-6SMD

#### Clamp Work Light

Easily clamps to multiple surfaces.

Sturdy aluminum housing with 6 SMD LED's.  
375 Lumens.

Durable dual-injection clamp handle with a 3" opening, soft grip clamping jaw.

Holds securely to a 2" hose or pipe.

Comes with three AA batteries.

Std. Pkg. 6  
Pkg. Wt. 4 lbs. 8 oz.



## FLEXIBLE MAGNETIC WORK LIGHT

### FL-3SMD

#### Flexible Magnetic Work Light

Sturdy aluminum housing with (3) high intensity SMD LED lights.  
110 Lumens

Heavy-duty spring adjusts light beam to needed angle with limitless positions.

Extra strong magnetic base with swivel hook to hang light.

Comes with three AAA batteries.

Std. Pkg. 6  
Pkg. Wt. 5 lbs. 8 oz.

Available in 6-pack counter top display  
**FL3SMDPK**

Std. Pkg. 1  
Pkg. Wt. 5 lbs. 8 oz.



## RT-2LT

### 24 LED Rotating Magnetic Work Light

Sturdy aluminum housing with 24 high intensity LED lights.  
65 Lumens

Head rotates to adjust beam to needed angle.

Strong magnetic base attaches to any metal surface in seconds.

Bridges a work light with a high quality flashlight.

Comes with three AAA batteries.

Std. Pkg. 6  
Pkg. Wt. 4 lbs. 3 oz.

Available in 6-pack counter top display  
**RT2LT6PK**

Std. Pkg. 1  
Pkg. Wt. 4 lbs. 3 oz.



Patent numbers: 8,172,436,  
8,545,066, D655,841



## RT-2LTCH

### 24 LED Rechargeable Rotating Magnetic Work Light

Sturdy aluminum housing with 24 high intensity LED lights.  
65 Lumens

Head rotates to adjust beam to needed angle.

Strong magnetic base attaches to any metal surface in seconds.

Includes a 110 Volt Charger.

Std. Pkg. 6  
Pkg. Wt. 7 lbs. 2 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841

Available in 6-pack counter top display  
**RT2LTCH6PK**

Std. Pkg. 1  
Pkg. Wt. 7 lbs. 2 oz.

## RT-48LT

### 48 LED Rotating Magnetic Work Light

Sturdy aluminum housing with 48 high intensity LED lights.  
150 Lumens

Head rotates to adjust beam to needed angle.

Strong magnetic base attaches to any metal surface in seconds.

Comes with three AA batteries.

Std. Pkg. 6  
Pkg. Wt. 6 lbs. 5 oz.

Available in 6-pack counter top display  
**RT48LT6PK**

Std. Pkg. 1  
Pkg. Wt. 6 lbs. 5 oz.



Patent numbers: 8,172,436,  
8,545,066, D655,841



## RT-48LTCH

### 48 LED Rechargeable Rotating Magnetic Work Light

Sturdy aluminum housing with 48 high intensity LED lights.  
150 Lumens

Head rotates to adjust beam to needed angle.

Strong magnetic base attaches to any metal surface in seconds.

Includes a 110 Volt Charger.

Std. Pkg. 6  
Pkg. Wt. 7 lbs. 2 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841

### RT-3SMD

#### 3 SMD LED Rotating Magnetic Work Light

Sturdy aluminum housing with 3 SMD LED's.  
110 Lumens.

Head Rotates to adjust beam to needed angle.

Strong magnetic base attaches to metal surfaces in seconds.

Comes with three AAA batteries.

Std. Pkg. 6  
Pkg. Wt. 4 lbs. 2 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841



### RT-3SMDR

#### 3 SMD LED Rechargeable Rotating Magnetic Work Light

Sturdy aluminum housing with 3 SMD LED's.  
300 Lumens.

Head Rotates to adjust beam to needed angle.

Strong magnetic base attaches to metal surfaces in seconds.

Includes a USB / Wall charger.

Std. Pkg. 6  
Pkg. Wt. 7 lbs. 2 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841



### RT-6SMD

#### 6 SMD Rotating Magnetic Work Light

Sturdy aluminum housing with (6) high intensity SMD LED lights.  
375 Lumens

Head rotates to adjust beam to needed angle.

Strong magnetic base attaches to any metal surface in seconds.

Comes with three AA batteries.

Std. Pkg. 6  
Pkg. Wt. 6 lbs. 8 oz.

Available in 6-pack counter top display  
**RT6SMDPK**

Std. Pkg. 1  
Pkg. Wt. 6 lbs. 8 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841



### RT-6SMDR

#### Dual Setting Rechargeable Rotating Magnetic Work Light

Sturdy aluminum housing with 6 SMD LED's.  
500 Lumens – High / 200 Lumens - Low.

Head Rotates to adjust beam to needed angle.

Strong magnetic base attaches to metal surfaces in seconds.

Includes a USB / Wall charger.

Std. Pkg. 6  
Pkg. Wt. 7 lbs. 2 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841



### RT-750LT

#### Dual Setting Rechargeable Rotating Magnetic Work Light

Sturdy aluminum housing with a 10 Watt LED for maximum brightness.  
750 Lumens – High / 300 Lumens – Low.

Head Rotates to adjust beam to needed angle. Strong magnetic base attaches to metal surfaces in seconds.

Includes a USB / Wall charger

Std. Pkg. 4  
Pkg. Wt. 4 lbs. 8 oz.

Patent numbers: 8,172,436,  
8,545,066, D655,841



## CHP4

### 4 Piece Individual Hook and Pick Set

Overall length 6-7/8".

Each hook and pick is made of high carbon polished heat-treated steel.

Textured cushion grips will not slip in wet or oily hands.

Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Available as a set or individually.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 8 oz.



## CHP4-L

### 4 Piece Individual Hook and Pick Set

Overall length 9-3/4".

Each hook and pick is made of high carbon polished heat-treated steel.

Textured cushion grips will not slip in wet or oily hands.

Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Available as a set or individually.

Threaded replacement picks are available.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 4 oz.



## MP-6

### 5 Piece Micro Pick Set


Overall length 5-9/16".

Ideal for soldering, gluing, positioning, adjusting, and retrieving small parts.

The needle tips are made of a high quality stainless steel.

Available as a set or individually.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 15 oz.



## PH-4

### 4 Piece Individual Hook and Pick Set

Overall length 6-5/16".

Each hook and pick is made of high carbon polished steel and is permanently attached to a hex shaped aluminum handle.

Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Available as a set or individually.

Std. Pkg. 12  
Pkg. Wt. 2 lbs.



## CHP8-L

### 8 Piece Individual Hook and Pick Set

Overall length 9-3/4".

Set includes: Hook Pick, Double Angle Pick, Complex Pick, Combination Pick, Straight Pick, 90° Pick, 45° Pick, and Angle Hook Pick.

Each hook and pick is made of high carbon polished heat-treated steel.

Textured cushion grips will not slip in wet or oily hands.

Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Available as a set or individually.

Threaded replacement picks are available.

Std. Pkg. 12  
Pkg. Wt. 6 lbs. 6 oz.



## CHP6-L

### 6 Piece Individual Hook and Pick Set

Overall length 9-3/4".

Set includes: Hook Pick, Double Angle Pick, Complex Pick, Combination Pick, Straight Pick, and 90° Pick.

Std. Pkg. 12  
Pkg. Wt. 4 lbs. 12 oz.

## H4W

### 4 Piece Individual Hook and Pick Set

Overall length 6-9/16".

Each hook and pick is made of high carbon heat-treated polished steel that screws into a hex shaped aluminum handle with a magnet on the opposite end.

Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Comes packaged in zippered top vinyl pouch.

Std. Pkg. 12  
Pkg. Wt. 13 oz.



## PSP-4

### 4 Piece Individual Hook and Pick Set with Screwdriver Type Handles

Overall length 5-1/16".

Each hook and pick is made of high carbon heat-treated steel and is permanently attached into a sturdy plastic handle.

Ideal for separating wires, removing small fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Available as a set or individually.

Std. Pkg. 12  
Pkg. Wt. 2 lbs. 9.oz.





## CHP6-LP

### 6 Piece Individual Hook and Pick Set

Overall length 9-3/4".

Each pick is made of heat treated carbon steel.

Durable dual injection grip handle.

Velcro nylon pouch with six individual pick compartments.

Set includes one: 90° Pick, Hook Pick, Straight Pick, Complex Pick, Combination Pick, and Double Angled Pick.

Ideal for separating wires, removing fuses, "O" rings, retrieving washers and loose parts too small to pick up with your fingers.

Std. Pkg. 12

Pkg. Wt. 4 lbs. 1oz.



# SCRIBERS

## No. 1830

### Pocket Scriber

Overall length 5-7/16".

All-in-one SAFETY COVER on tungsten carbide tip.

To expose the carbide tip, push cover down and turn it counterclockwise and it will lock in position.

To protect the carbide tip, turn the cover clockwise and it automatically "clicks" shut.

Sharp tungsten carbide tip cuts into hard surfaces, leaves clear mark on metal, glass, plastics and tools.

Magnetic end retrieves dropped nuts, bolts, washers, etc.

Std. Pkg. 12  
Pkg. Wt. 14 oz.



## No. 1820

### Utility Packing Hook with Magnetic Pick-Up Handle

Overall length 7".

With a strong high carbon polished steel shaft and hook permanently inserted into knurled aluminum handle.

Hook is used for removing springs, wadding, washers, "O" rings and prying stuck gaskets loose.

Handy steel hook for any tool box; used by repairmen, technicians and craftsmen to reduce repair time.

Magnetic end retrieves dropped nuts, bolts, washers, and parts.

Std. Pkg. 12  
Pkg. Wt. 15 oz.



## No. 1810

### Double Pointed Scriber

Overall length 9-1/2".

Scriber has straight and 90° angle points for working in awkward places.

Heat-treated, bright polished, high carbon steel needle points.

For the craftsmen and technicians who needs a sharp marking tool that works in cramped quarters, as well as, in regular applications.

90° pick used for removing springs, wadding, washers, "O" rings and prying gaskets loose.

Knurled aluminum handle gives sure grip.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 1 oz.



## CHP4-LT

### Lighted 4 Piece Individual Hook and Pick Set

Overall length 9-3/4".

Four Piece Individual Hook & Pick Set  
Includes: 90°, Complex, Hook, & Straight Picks.

Durable high carbon polished heat-treated steel.

Ergonomic composite handle with On / Off button.

High intensity LED light illuminates working end.

Comes with three LR41 batteries.

Std. Pkg. 6  
Pkg. Wt. 3 lbs.

Patent numbers: 8,820,956 B2



Available in 6-pack  
counter top display  
**CHP4LT6PK**

Std. Pkg. 1  
Pkg. Wt. 3 lbs.



## IP4-LT

### Lighted 4 Piece Heavy-Duty Interchangeable Pick Set

Overall Length 11-1/2".

Four piece individual pick set includes one: 90° Pick, Hook Pick, Straight Pick, Complex Pick, and ergonomic handle with adjustable collet.

Durable chrome vanadium steel shafts with black oxide finish.

Six high intensity LED's illuminate pick ends.

Comes with three AAA batteries.

Std. Pkg. 4  
Pkg. Wt. 4 lbs. 10 oz.

Available in 6-pack  
counter top display  
**IP4LT6PK**

Std. Pkg. 1  
Pkg. Wt. 4 lbs. 10 oz.

## SWINGER HOOK

### SW-10

#### Swinger Hook

Overall length 7-7/8".

Lightweight aluminum handle.


Combination reversible pick and hook.

Like an extra finger for jobs in awkward places.

Just swivel out the end you need and the other end tucks safely away!

Literally a tool of "1,001" uses.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 10 oz.



A simple twist of the Ullman alloy steel bit and screw is firmly held for trouble free starting and resets automatically. Slender aluminum or electric-shock resistant nylon handles, for easy access into close areas.

Should a screw, washer or nut be dropped into a hard-to-reach area, it can easily be retrieved by turning the tool around and using the strong full 1" permanent magnet on the opposite end of the aluminum handle screw starter.

## Standard Slotted Screw Starters

### Aluminum Handles in 4 sizes

**D-1**  
Screw Starter  
Overall Length 2-5/8".  
Std. Pkg. 10  
Pkg. Wt. 9 oz.

**D-2**  
Screw Starter  
With pocket clip.  
Overall Length 5-5/8".  
Std. Pkg. 10  
Pkg. Wt. 12 oz.

**D-3**  
Screw Starter  
Overall Length 9-5/8".  
Std. Pkg. 10  
Pkg. Wt. 1 lb. 2 oz.

**D-4**  
Screw Starter  
Overall Length 15-1/8".  
Std. Pkg. 6  
Pkg. Wt. 9 oz.



## Standard Slotted Screw Starters

### Electric Shock-Resistant Nylon Handles in 4 sizes

**N-1**  
Nylon Screw Starter  
Overall Length 2-11/16".  
Std. Pkg. 5  
Pkg. Wt. 2 oz.

**N-2**  
Nylon Screw Starter  
Overall Length 6-1/8".  
Std. Pkg. 5  
Pkg. Wt. 3 oz.

**N-3**  
Nylon Screw Starter  
Overall Length 9-1/8".  
Std. Pkg. 5  
Pkg. Wt. 4 oz.

**N-4**  
Nylon Screw Starter  
Overall Length 15-13/16".  
Std. Pkg. 5  
Pkg. Wt. 6 oz.



## Phillips Head Screw Starters

### Aluminum Handles in 4 sizes

**PD-9**  
Screw Starter  
Overall Length 2-3/4".  
Std. Pkg. 10  
Pkg. Wt. 9 oz.

**PD-10**  
Screw Starter  
With pocket clip.  
Overall Length 5-3/4".  
Std. Pkg. 10  
Pkg. Wt. 12 oz.

**PD-11**  
Screw Starter  
Overall Length 9-3/4".  
Std. Pkg. 10  
Pkg. Wt. 1 lb. 2 oz.

**PD-12**  
Screw Starter  
Overall Length 15-1/4".  
Std. Pkg. 6  
Pkg. Wt. 9 oz.



## Phillips Head Screw Starters

### Electric Shock-Resistant Nylon Handles in 4 sizes

**PN-9**  
Nylon Screw Starter  
Overall Length 2-13/16".  
Std. Pkg. 5  
Pkg. Wt. 2 oz.

**PN-10**  
Nylon Screw Starter  
Overall Length 6-1/4".  
Std. Pkg. 5  
Pkg. Wt. 3 oz.

**PN-11**  
Nylon Screw Starter  
Overall Length 9-1/4".  
Std. Pkg. 5  
Pkg. Wt. 4 oz.

**PN-12**  
Nylon Screw Starter  
Overall Length 15-5/16".  
Std. Pkg. 5  
Pkg. Wt. 6 oz.



For ferrous or non-ferrous screws

No more fumbling with hard-to-position screws! Slender aluminum or electric shock resistant nylon handles for easy access into close areas.

A simple twist of the Ullman alloy steel bit and screw is firmly held, ready for trouble free starting.

## DE-1

### Double-Ended Nylon Screw Starter

Overall Length 9".

With Phillips and Slotted heads.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 2 oz.



## DE-2

### Double-Ended Aluminum Screw Starter

Overall Length 6-1/4".

With Phillips and Slotted heads.

Std. Pkg. 12  
Pkg. Wt. 15 oz.



No more fumbling with hard-to-position screws! A simple twist of the Ullman alloy bit and screw is firmly held. Slender aluminum handles for easy access into close areas.

Bright-dipped sure-grip aluminum handle with blades of high carbon spring steel.

## F-2

Fits TORX® screw sizes T-10, T-15, T-20, T-25, T-27 and T-30. Also fits most Allen-Hex and Phillips screws

Overall Length 5-5/8".

Permanent magnet at opposite end retrieves nuts or screws dropped in hard-to-reach areas.

For head lights bezel, turnlight assemblies, mirror mounts, exterior trim, carburetor and ignition systems.

Pocket clip keeps it handy and secure.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 2 oz.



## G-2

Fits Sizes:  
4-40 Thread  
3/32" (2.5 mm)  
to 5/16" (8 mm)


- Snap in Nut
- Start Threads
- Self-Releasing

Overall Length 5-1/8".

Use on small size nuts to start nut on bolt thread.

Releases from nut as threads are engaged.

Std. Pkg. 12  
Pkg. Wt. 1 lb. 2 oz.



### BH-2

#### 1/4 inch Bit Holder

Holds up to 21 bits and made of unbreakable vinyl.

Ullman's Bit Holder keeps bits neat and organized which prevents loss of bits that would normally be scattered in a tool drawer or on a tool bench.

Handy pocket size - ideal for carrying bits to the job.

Std Pkg. 12  
Pkg. Wt. 1 lb.



### SG-2

#### Universal Spark Plug Gap Gauge

1-1/2" diameter.

Easy to read.

Scaled from .020" to .11" (0.5mm to 2.4mm).

Pewter plating makes the inches and millimeters more legible for the user to read.

Easy accurate spark plug adjustment.

Flanged edge for electrode bending.

Beveled round hole for opening gap.

Std Pkg. 12  
Pkg. Wt. 10 oz.



### MG-2

#### Telescoping Magnifying Glass

2-3/8" dia. shatter resistant magnifying head.

2X Magnification.

Telescopes from 9-1/2" to 36-1/4".

Stainless steel handle is long, strong and lightweight.

Magnifies part numbers, serial numbers and hidden areas for better viewing.

All-angle ball joint holds magnifying head firmly at any angle.

Comfortable textured cushion grip will not slip in wet or oily hands.

Std Pkg. 12  
Pkg. Wt. 1 lb.



### MG-2LT

#### LED Telescoping Magnifying Glass

2" Fresnel lens viewing diameter has 4X magnifying strength.

Telescopes from 6-3/4" to 30"  
Stainless steel handle is strong, long, and lightweight.

Magnifies part numbers, serial numbers, and hidden areas for better viewing.

All-angle ball joint holds magnifying head firmly at any angle.

Heavy-duty grip will not slip in wet or oily hands.

Std. Pkg. 12  
Pkg. Wt. 2 lbs.



Bright, durable, plated steel rail with slide-on spring clips to hold sockets tight and rattle proof yet easily removable. Screw into tool chest drawer or hang.

## No. 25

1/4" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with sixteen  
1/4" drive clips.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 2 oz.



## No. 35

3/8" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with sixteen  
3/8" drive clips.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 5 oz.



## No. 50

1/2" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with sixteen  
1/2" drive clips.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 12 oz.



## No. 75

3/4" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with eight  
3/4" drive clips.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 5 oz.



Bright, durable, plated steel rail with slide-on spring clips to hold sockets tight and rattle proof, yet easily removable. Heavy vinyl handle with socket drive size displayed on top.

## SH-1725

1/4" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with sixteen  
1/4" drive clips.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 7 oz.



## SH-1735

3/8" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with fourteen  
3/8" drive clips.

Std. Pkg. 12  
Pkg. Wt. 3 lbs. 11 oz.



## SH-1750

1/2" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with fourteen  
1/2" drive clips.

Std. Pkg. 12  
Pkg. Wt. 4 lbs. 8 oz.



## SH-1775

3/4" Drive  
Socket Holder with  
Heavy-Duty  
Spring Clips

17" rack with eight  
3/4" drive clips.

Std. Pkg. 12  
Pkg. Wt. 4 lbs.



# Ullman

WE SET THE STANDARDS

## DISPLAY FOR NEW HIGH TECH MAGNETIC PICK-UP TOOLS AND INSPECTION MIRRORS



Std. Pkg. 1  
Pkg. Wt. 5 lbs. 6 oz.

### HTDISP Eye Catching Counter or Shelf Display Holds Three Each:

- **HT-1** lifts 1-1/2 pounds, over 2-1/2 pounds with POWERCAP® telescopes from 6-5/8" to 33-1/4".
- **HT-2** lifts 3-1/2 pounds, over 5 pounds with POWERCAP® telescopes from 7-1/4" to 33-3/4".
- **HT-3** lifts 5 pounds, 10 pounds with POWERCAP® telescopes from 8-1/4" to 30-1/4".
- **HTE-2** with 1-1/4" mirror for viewing in tight areas, telescopes from 6-1/2" to 35".
- **HTC-2** with 2-1/4" mirror for viewing in less restrictive areas, telescopes from 6-1/2" to 36-3/8".
- **HTS-2** with 3-1/4" mirror for brightest clearest viewing with room to maneuver, telescopes from 6-1/2" to 29-1/2".



**Ullman Devices Corporation**

664 Danbury Road

Ridgefield, CT 06877 U.S.A.

Telephone: 203.438.6577

FAX: 203.431.9064

email: [info@ullman-devices.com](mailto:info@ullman-devices.com)

[www.ullman-devices.com](http://www.ullman-devices.com)

CATALOG NO. 110

© ULLMAN DEVICES CORPORATION 2017

PRINTED IN U.S.A.